

**Drug Facts** (continued)

**Directions**

- Do not exceed recommended dosage.
- Use enclosed dropper only. Do not use any other dosage device.

Children 6 to under 12 years of age:	2 dropperfuls (2 mL) every 4 to 6 hours, not to exceed 6 doses in 24 hours.
--------------------------------------	---

Children under 6 years of age:	Consult a doctor.
--------------------------------	-------------------

**Other information**

Store at controlled room temperature 59° - 86°F (15° - 30°C) [see USP Controlled Room Temperature].

**Drug Facts** (continued)

**Inactive ingredients**

Citric Acid, Sodium Citrate, Sodium Saccharin, Sorbitol 70% Solution, Glycerin 99.5% minimum, Propylene Glycol, Raspberry Flavor, FD&C Red #40, Purified Water.

**Questions? Comments?**

Call your doctor for medical advice about side effects. Serious side effects associated with use of this product may be reported to this number. 1-864-286-8229 (Mon-Fri) 8am-5pm EST.

Turn over evidence by foil seal under cap. Do not use if foil seal is missing or broken. Supplied in a tight, light-resistant container with a child-resistant closure.

Manufactured for:  
**Laser Pharmaceuticals, LLC**  
Greenville, SC 29615

Rev. 06/10

NDC: 16477-106-30  
**Donatussin**  
**DROPS**

**Nasal Decongestant  
Expectorant**

Sugar Free • Alcohol Free  
Raspberry Flavored

Each dropperful (1.0 mL) for oral administration, contains:

**Phenylephrine HCl** . . . . . 1.5 mg  
**Guaifenesin** . . . . . 20.0 mg

1 fl oz (30 mL)

Lift Here  
for  
**Drug Facts**



N 3

**Drug Facts****Active ingredients  
(in each 1 mL dropperful)****Purpose**

Phenylephrine Hydrochloride 1.5 mg ..... Nasal Decongestant  
Guaifenesin 20.0 mg ..... Expectorant

**Uses** temporarily relieves these symptoms occurring with a cold:  
■ nasal congestion ■ cough due to minor throat and bronchial irritation  
■ helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive

**Warnings**

**Do not exceed recommended dosage.**

**Do not use this product**

■ If you or your child are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or

**Drug Facts (continued)**

emotional conditions, or Parkinson's disease), or for two weeks after stopping the MAOI drug. If you do not know if your child's or your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product or giving it to your child.

**Ask a doctor before use if you or your child has**

■ heart disease ■ high blood pressure ■ thyroid disease ■ diabetes  
■ trouble urinating due to an enlarged prostate gland  
■ cough that occurs with too much phlegm (mucus)  
■ cough that lasts or is chronic such as occurs with asthma

**Ask a doctor or pharmacist before use if you or your child are taking** sedatives or tranquilizers.

**When using this product**

■ you may get drowsy ■ avoid alcoholic drinks  
■ alcohol, sedatives, and tranquilizers may increase drowsiness

**Drug Facts (continued)**

■ be careful when driving a motor vehicle or operating machinery  
■ excitability may occur, especially in children

**Stop use and ask a doctor if**

■ nervousness, dizziness, or sleeplessness occurs  
■ if symptoms do not get better within 7 days or are accompanied by a fever.  
■ cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of the reach of children.**

**In case of overdose**, get medical help or contact a Poison Control Center right away.

Lot: #P0XXXX Exp. Date: XX/XXXX

Tamper evident by foil seal under cap. Do not use if foil seal is missing or broken.  
Supplied in a light, light-resistant container with a child-resistant closure.

Manufactured for:  
Chest Pharmaceuticals, LLC  
Green Hills, SC 29615

Rev. 06/10

NDC: 16477-106-30

# Donatussin DROPS

## Nasal Decongestant Expectorant

Sugar Free • Alcohol Free  
Raspberry Flavored

Each dropperful (1.0 mL) for oral  
administration, contains:

**Phenylephrine HCl** . . . . . 1.5 mg  
**Guaifenesin** . . . . . 20.0 mg

1 fl oz (30 mL)

